14.5 SEER RAPM Condensing Unit







2009 Condensing Unit Line Logic





14.5 SEER RAPM Condensing Unit

RAPM Description Summary

- 14.5+ Single Stage Condensing Unit
- 14.5 SEER / 12 EER "Coil Only"
- Meets the New 2009 <u>EnergyStar</u> requirements in all tonnages
- Qualifies for Federal Tax Rebate (Select Models)
- Offered with optional Comfort Control System™
- Environmentally Friendly R410A Refrigerant
- 208/230 1-Phase






APM-018JAZ / EZ APM-024JAZ / EZ APM-030JAZ / EZ APM-036JAZ / EZ APM-042JAZ / EZ APM-048JAZ / EZ APM-060JAZ / EZ







R = Rheem

MODEL NUMBER

BREAKDOWN





Feature Comparison

14.5 SEER AC Unit	RAPM-JEZ	RAPM-JAZ	<u>14AJM</u>
HTSV* Rating (SEER)	14.5 - 16.0	14.5 - 16.0	14.5 - TBA
Target Market	Premium	Retrofit	RNC
Branding	Prestige	Classic	Rheem
Comfort Control System™	X		
Sound Blanket	X		
Unit Replacement Warranty	X		
Start Assist	X		
H/L Pressure Controls	X	X	
Filter Drier	X	X	
End Panel Access	Х	Х	
Labor Allowance	Х	X	Х
Cabinet Design	Rectangle	Rectangle	Cube
Compressor	Scroll	Scroll	Scroll
Warranty	10/10	10/5	10/5
Refrigerant	R410A	R410A	R410A



Performance Overview

		APM-018		APM-024		APM-030 A		APM	APM-036		APM-042		1-048	APM-060	
	SH		r stil		SER	8 (48	SHE	₹ _ EEP	SHE		SH	8 (H	- SH	R HER	
Coil Only Rating	14.5	12.2	14.5	12.6	14.6	12.6	14.5	12.2	14.5	12.1	14.5	12.3	14.5	12.7	
PSC Motor - *HSL	15.0	12.7	14.5	13.0	14.5	12.9	14.5	12.4	14.5	12.1	14.5	12.3	13.5	12.2	
X-13 Motor - *HLL	16.0	13.9	16.0	14.3	16.0	14.0	15.5	13.3	15.5	13.1	15.5	13.4	15.0	13.5	
V-Speed - *HKL	16.0	13.8	16.0	13.9	16.0	13.8	15.5	13.2	15.5	13.0	15.5	13.3	15.0	13.4	
BHP (CHL)	16.0	13.6	14.0	12.3	15.0	13.4	15.0	12.9	15.0	12.9	15.0	12.6	NA	NA	
V Speed Furnaces	16.0	13.8	16.0	13.9	16.0	14.4	15.5	13.5	15.5	13.2	15.0	12.6	14.5	12.7	





Selling Story



Most Serviceable Unit in the Industry

- Industry Exclusive Top & Side Service Accessibility: Compressor and controls isolated from the air stream for quick, unobstructed access.
- 2 Screw, End Panel Access
- Enclosed Control Box
- Diagnostic label/chart Located on Service Panel (-JEZ)
- Grill Mounted Condenser Fan
- Removable Top Panel / Grille for Coil Access
- Easy access service valves
- Compressor Cover on –JEZ models







Product Marketing

-JAZ

Federal Tax Credit Rebate Program



American Recover & Reinvestment Act 2009

- Up to \$1,500 Federal tax credit for select system installations
- AC Systems with minimum 16 SEER / 13 EER
- RAPM qualifies 1.5 2.5 nominal tonnages (Select furnace combinations)
- RAPM qualifies 1.5 2.5 nominal tonnages (select air handler combinations)
- System must be installed during 2009-2010 (does not apply to 2008)
- Visit <u>www.Rheemac.com</u> for filing details and tax credit forms




Energy Star Certification

RAPM meets "*NEW"* 2009 standard in all nominal sizes*

Split System minimum 14.5 SEER / 12 EER

Clearly Labeled on all Consumer Literature, Marketing Material and Equipment EnergyGuide label*





*Applies to RAPM condensing units listed on ARI w/highest tested sales volume combination



Lowest Profile Unit in its Class



Classic

RAPM	Height "H" (Inches)
-018	19″
-024, -030	29″
-036, -042, -048, -060	33″



Competitive Warranties

RAPM-***JEZ

- W/Rheem Specified Match
 - ✓ 10 Year Compressor
 - ✓ 10 Year Parts
 - ✓ 5 Year Conditional Unit Replacement
 - ✓ 10 Year Warranty on variable speed air handler, Mod90 or 2-stage, variable speed 80% furnaces when installed with -JEZ.

RAPM-***JAZ

- W/Rheem Specified Match
 - ✓ 10 Year Compressor
 - ✓ 5 Year Parts

Protection Plus Extended Warranty Program

Offers "Piece of Mind" to the Homeowner





Exclusive Comfort Control System™

- Advanced Diagnostics and Active System Protection
- Sealed Switch / Optical Arc Detection Relay
- Call for Service Notification with L Terminal T-stat
- Conditional Unit Replacement Guarantee
- CCS Installed in –JEZ Models Only

Homeowner Alert







Active Protection

- Monitors:
 - Compressor Current
 - System Pressure Switches
 - System Voltage




- Takes Unit Off-Line if an Undesirable Condition Occurs
- Provides Homeowner "Peace of Mind" that Warning Can Occur Before Compressor Failure that Could Lead to Additional Expenses



Advanced Diagnostics

• Integrated Compressor Control ("Comfort Alert")

- Independent compressor and fan control
- Anti-short cycle protection (3 minute)
- Minimum run time (30 seconds)
- 7-segment LED display
- H/L pressure switch monitoring
- Power and control voltage monitoring
- Active protection integrated into the control
- 6 fault recall even with power loss memory
- Test button for operation and start-up diagnostics
- Flash diagnostic codes to room T-stat w/L Terminal





Intelligent Sealed Contactor

- Opens Compressor Contact at Optimum Time
- Protects from Insects
- Virtually Eliminates Contactor Pitting
- Benefits
 - Improves Compressor Reliability
 - Improves Reliability for Homeowner's "Peace of Mind"



287K Cycles Still



302K Cycles Still Running






Sealed Contactor

Comfort Control System™ - Summary

- Reliability

- Increased diagnostic capability
- Promotes Scheduled Service
- Increased Customer Satisfaction
- Lower Cost of Ownership
 - Fewer Call Backs with Improved Repair Accuracy
 - Lower Repair Costs
 - Longer Service Life







Flexible Indoor Solutions

- Highest Tested Sales Volume Coil Match-up (14.5 SEER / 12 EER)
- Alternate rating with CQD/CHL coils

Unit	Coil
RAPM-018	RCFL-H*2417A*
RAPM-024	RCFL-H*2417A*
RAPM-030	RCFL-H*3617A*
RAPM-036	RCFL-H*3617A*
RAPM-042	RCFL-H*4821A*
RAPM-048	RCFL-H*4821A*
RAPM-060	RCFL-H*6024A*



- Select Match-ups with complete line of award winning 80% & 90% furnaces
- Efficiencies up to 16 SEER with select variable speed furnaces

Check Engineering Specification Data for specific Furnace Matchups



Flexible Indoor Solutions

• HSL

- PSC Motor Standard Efficiency
- Multi-position
- 5 Year Parts Warranty

• HLL

- X13 Motor High Efficiency
- Multi-position
- 5 Year Parts Warranty

• HKL

- ECM, Variable Speed, High Efficiency
- Multi-position
- 10 Year Parts Warranty when matched with –JEZ "Prestige" outdoor unit

• BHP

- X13 Motor
- Low Profile (35" Height)
- Multi-position



✓Installer selectable auxiliary heat

✓Low profile height: 42.5" – 55"

Product Marketing

✓"N" coil design



Positioning Summary



Rheem Positioning Summary

Selling Story

- Comfort
 - Single stage cooling
 - Multi-stage heating option
 - TXV metering for precise control
 - Comprehensive selection of Rheem branded programmable thermostats
- Quiet
 - Sound limiting compressor blanket (-JEZ Only)
 - 3 bladed condenser fan
 - ECM condenser fan motor
- Improved IAQ
 - Selectable low fan speed
 - Variable speed blower option
 - Constant air circulation for enhanced air filtration



Rheem Positioning Summary

Selling Story

- High Efficiency
 - SEER up to 16, EER up to 14.3
 - EnergyStar Certified
 - Federal Tax Credit rebate eligible
- Dependability/Reliability
 - Comfort Control System[™] control board on –JEZ models
 - Dependable scroll compressor
 - 10 Year compressor warranty
 - 10 Year parts warranty -JEZ / 5 Years -JAZ
 - 5 Year condition unit replacement guarantee (-JEZ models)
 - 1000-hour salt spray test
 - Drawn, painted base pan for corrosion resistance
 - Louvered panels for coil protection
 - Optional Low Ambient Controls



RAPM Condensing Unit Resources

More Information?

Product Technical Support Library @ www.Rheemote.net

Installation and Operation Instructions

- Specification Sheet
- Warranty Cards
- Product Literature
- Technical Bulletins
- -...and More

Product Marketing Presentation

- www.Rheemote.net
- Departments/Product Marketing & Development

The Training Network @ www.thetrainingnetwork.com/rheemproduct

- RAPM Product Orientation Presentation

