



SALES FACT SHEET



CLASSIC® 90 HIGH EFFICIENCY UPFLOW GAS FURNACES

Features

- Low profile "34 inch" design is lighter and easier to handle and leaves room for optional accessories.
- Left or right side gas, electric, and condensate drainage connections on upflow models.
- Integrated control board manages all operational functions and provides accessory hookups for an electronic air cleaner.
- A slow-opening gas valve and a specially designed inducer system make it one of the quietest furnaces on the market today.
- Pre-paint galvanized steel cabinet.
- Optional indoor or outdoor combustion air. In addition, combustion air may be piped to either the top or right side of the cabinet on all upflow models. A special molded fitting is provided to ease installation.
- Control board diagnostics.

A variety of cooling coils and plenums designed to use with the Classic 90 gas furnaces are available as optional accessories for air conditioning models.

RGRJ- SERIES

**Models with Input Rates
from 45,000 to 120,000 BTU/HR
[13.19 to 35.17 kW]**

(All Models 90% A.F.U.E. or Above)

GENERAL TERMS OF LIMITED WARRANTY

Rheem will furnish a replacement for any part of this product which fails in normal use and service within the applicable period stated, in accordance with the terms of the limited warranty.

Primary and Secondary Heat ExchangerTwenty (20) Years

*Any Other PartFive (5) Years

*This five year limited warranty is applicable only to single-phase products installed in residential applications on or after January 1, 2001.

MODEL	INPUT- BTU/HR [kW] ①	HEATING CAPACITY BTU/HR [kW]	HEATING CFM @ .2" [.049 kPa] W.C. E.S.P. [L/s]	COOLING CFM @ .5" [.124 kPa] W.C. E.S.P. [L/s]	APPROX. SHIPPING WEIGHT (LBS.) [kg]	PRICE
RGRJ-04EMAES	45,000 [13.19]	42,000 [12.31]	885 [417]	1195 [564]	111 [50.3]	
RGRJ-06EMAES	60,000 [17.58]	56,000 [16.41]	845 [398]	1100 [519]	117 [53.1]	
RGRJ-07EMAES	75,000 [21.98]	70,000 [20.51]	1050 [495]	1110 [524]	123 [55.8]	
RGRJ-07EYBES	75,000 [21.98]	70,000 [20.51]	1275 [600]	1440 [679]	123 [55.8]	
RGRJ-07EYBGS	75,000 [21.98]	70,000 [20.51]	1275 [600]	1540 [725]	123 [55.8]	
RGRJ-09EZAGS	90,000 [26.37]	84,000 [24.61]	1465 [691]	1580 [746]	148 [67.1]	
RGRJ-09EZAJS	90,000 [26.37]	84,000 [24.61]	1465 [691]	1910 [901]	148 [67.1]	
RGRJ-10EZAGS	105,000 [30.77]	97,000 [28.43]	1445 [682]	1540 [727]	152 [68.9]	
RGRJ-10EZAJS	105,000 [30.77]	97,000 [28.43]	1445 [682]	1810 [854]	152 [68.9]	
RGRJ-12ERAGS	120,000 [35.17]	113,000 [33.12]	1580 [745]	1660 [783]	160 [72.6]	
RGRJ-12ERAJS	120,000 [35.17]	113,000 [33.12]	1580 [745]	1900 [897]	160 [72.6]	

① See Conversion Kit Index Form for high altitude derate.

