

6-Year Electric



▶ 6-Year Limited Warranty on Tank and Parts

- Dual 4500 watt heating elements for faster recovery
- Patented resistor design heating elements prolong anode rod and tank life
- Tank protected by exclusive porcelain formula
- Easy access thermostat adjustment
- Rigid foam insulation for superior heat retention
- Factory installed temperature and pressure relief valve
- Includes extra durable high temperature dip tube to meet the most stringent plumbing codes
- Meets or exceeds National Appliance Energy Conservation Act (NAECA) requirements

Energy Factor and Average Annual Operating Costs based on D.O.E. (Department of Energy) test procedures. The D.O.E. national average fuel rate for electricity is 10.65¢/kWh.

DESCRIPTION			FEATURES			DIMENSIONS				ENERGY INFORMATION	
Tank Gallon Capacity	Height Description	Model Number	Heating Element Watt. Upper	Heating Element Watt. Lower	First Hour Del. G.P.H.	Tank Diam.	Tank Height	Height to Water Conn.	Ship Wt. (Pounds)	Energy Factor	Est. Annual Oper. Costs
30	Short	6ES30-2	4500	4500	42	22-1/4	30	30	83	0.93	\$503
30	Medium	6EM30-2	4500	4500	44	19-3/4	36	36	80	0.93	\$503
30	Tall	6E30-2	4500	4500	48	17-3/4	45-3/4	45-3/4	80	0.93	\$503
38	Short	6ES40-2	4500	4500	45	23	31-1/2	31-1/2	108	0.92	\$508
40	Medium	6EM40-2	4500	4500	53	19-3/4	46-1/2	46-1/2	95	0.92	\$508
40	Tall	6E40-2	4500	4500	57	17-3/4	59-1/4	59-1/4	96	0.92	\$508
47	Short	6ES50-2	4500	4500	55	26-1/4	32	32	149	0.91	\$514
50	Medium	6EM50-2	4500	4500	62	21-3/4	46	46	117	0.90	\$520
50	Tall	6E50-2	4500	4500	67	19	57	57	107	0.90	\$520
65	Tall	6E65-2	4500	4500	71	21	58-1/2	58-1/2	150	0.89	\$525
80	Tall	6E80-2	4500	4500	88	23	59	59	177	0.86	\$544
119	Tall	6E120-2	4500	4500	99	28-1/4	62-1/2	62-1/2	324	0.85	\$550

• Water heaters furnished with standard 240 volt AC, single phase, non-simultaneous wiring.